



"Granule"

Technical data sheet

Product Description:

Name: Polyethylene Granule 52B18

Grade: **SJ-52B18**

Specification:

Properties	Result	Unit	Test Method
Density	0.951-0.953	g/cm ³	ASTM D 1505
Melt Flow Rate (190 °C/2.16 kg)	15-21	g/10min	ASTM D 1238
Tensile Strength at Break	25-27	MPa	ASTM D 638
Elongation at Break	>150	%	ASTM D 638
Vicat	130-134	°C	ASTM D 1525